CARNIVAL DIMOUT BLIND RANGE



Blackout Fabric • 20 Colours • FR



Carnival dimout material is a sustainable fabric, made using recycled polyester yarns processed from consumer waste PET plastic bottles. The fabric has been specially treated to prevent mould and pollen from entering the ship, whilst in port or at sea - a valuable asset to hay fever sufferers who experience disruptive sleep.

Carnival fabric allows plenty of sunlight through the material but offers 100%~UV protection. Furthermore, it conforms to flame retardancy BS5867, Part 2: Type B 2008.







COBALT




EDEN



KIWI



SUNSET



AMBER

CARNIVAL DIMOUT

Fabric Composition

100% Polyester

Fabric Width

2.05m (80")

Fabric Weight

 $263g/m^2$ (7.8oz/yd²)

Properties









Flammability Standards

Carnival Blackout meets FR standard BS 5867 Part 2 Type B. Further information is available on request

Colour Fastness

Tested in accordance with BS EN ISO 105-B01:1999

Cleaning

Carnival Dimout fabrics can be wiped clean. See manufacturers instructions. Tested in accordance with BS EN 26330:1994 method 7a

CARNIVAL DIMOUT

Solar, Optical & Colour Fastness Properties

	Solar			Optical			UV Block	SC	CF	Dim Out
	Ts	Rs	As	To	Ro	Ao	OV BIOCK	36	GI .	Biiii Gut
Amber	12	65	23	5	61	34	100	0.37	5+	3
China White	17	78	5	16	81	3	100	0.25	5	2
Cobalt	8	54	38	1	34	66	100	0.48	5	3
Cream	16	77	7	15	81	4	100	0.26	5+	2
Dusk	11	66	23	3	59	38	100	0.36	4	3
Ecru	14	71	15	10	71	19	100	0.31	5	3
Eden	8	70	40	1	36	64	100	0.50	5+	3
Glacier	10	67	23	4	64	32	100	0.35	5+	3
lvory	15	76	9	12	78	10	100	0.27	4	3
Kiwi	9	62	29	2	56	42	100	0.40	5	3
Lily	11	67	22	6	64	30	100	0.35	5	3
Luna	11	67	22	4	59	37	100	0.35	4+	3
Navy	0	32	68	0	29	71	100	0.69	5+	4
Nougat	19	71	10	13	70	17	100	0.31	4	2
Papaya	0	68	32	0	69	31	100	0.34	5+	4
Raven	0	29	71	0	29	71	100	0.72	5+	4
Shadow	1	46	53	1	45	54	100	0.56	5	3
Sunset	11	62	27	2	44	54	100	0.40	5+	3
Willow	10	66	24	3	60	37	100	0.36	4	3
Wisteria	3	50	47	1	46	53	100	0.52	4	3

T: % Transmittance R: % Reflectance

A: % Absorption

UV Block: the % of UV light blocked by the fabric

SC: Shading Co-efficient CF: Colour Fastness

Dim Out:

1 - High light Penetration

4 - Low Light Penetration

5 - Blackout



