




CARNIVAL DIMOUT BLIND RANGE

Dimout Fabric • 20 Colours • Flame Retardant


IMO FR
FABRICS




CHINA WHITE



IVORY



PAPAYA



CREAM



NOUGAT




ECRU




DUSK



WILLOW




LILY



GLACIER




WISTERIA



LUNA



NAVY



SHADOW



RAVEN



COBALT



EDEN



KIWI



SUNSET



AMBER

CARNIVAL DIMOUT

Fabric Composition

100% Polyester

Fabric Width

2.05m (80")

Fabric Weight

263g/m² (7.8oz/yd²)

Properties



FR



Wipe Clean



94-100%

Flammability Standards

Carnival Blackout meets FR standard BS 5867 Part 2 Type B. Further information is available on request

Colour Fastness

Tested in accordance with BS EN ISO 105-B01:1999

Cleaning

Carnival Dimout fabrics can be wiped clean. See manufacturers instructions. Tested in accordance with BS EN 26330:1994 method 7a



+44 191 5970543



theteam@solarglide.com



www.solarglide.com

CARNIVAL DIMOUT

Solar, Optical & Colour Fastness Properties

	Solar			Optical			UV Block	SC	CF	Dim Out
	T _s	R _s	A _s	T _o	R _o	A _o				
Amber	12	65	23	5	61	34	100	0.37	5+	3
China White	17	78	5	16	81	3	100	0.25	5	2
Cobalt	8	54	38	1	34	66	100	0.48	5	3
Cream	16	77	7	15	81	4	100	0.26	5+	2
Dusk	11	66	23	3	59	38	100	0.36	4	3
Ecru	14	71	15	10	71	19	100	0.31	5	3
Eden	8	70	40	1	36	64	100	0.50	5+	3
Glacier	10	67	23	4	64	32	100	0.35	5+	3
Ivory	15	76	9	12	78	10	100	0.27	4	3
Kiwi	9	62	29	2	56	42	100	0.40	5	3
Lily	11	67	22	6	64	30	100	0.35	5	3
Luna	11	67	22	4	59	37	100	0.35	4+	3
Navy	0	32	68	0	29	71	100	0.69	5+	4
Nougat	19	71	10	13	70	17	100	0.31	4	2
Papaya	0	68	32	0	69	31	100	0.34	5+	4
Raven	0	29	71	0	29	71	100	0.72	5+	4
Shadow	1	46	53	1	45	54	100	0.56	5	3
Sunset	11	62	27	2	44	54	100	0.40	5+	3
Willow	10	66	24	3	60	37	100	0.36	4	3
Wisteria	3	50	47	1	46	53	100	0.52	4	3

T: % Transmittance
R: % Reflectance
A: % Absorption

UV Block: the % of UV light blocked by the fabric
SC: Shading Co-efficient
CF: Colour Fastness

Dim Out:
1 - High light Penetration
4 - Low Light Penetration
5 - Blackout



+44 191 5970543



theteam@solarglide.com



www.solarglide.com